Contents of volume 30

No. 1 (pp 1-110) published 19 January 1989

No. 2 (pp 111-218) published 6 February 1989

No. 3 (pp 219-324) published 14 February 1989

No. 4 (pp 325-432) published 16 March 1989 No. 5 (pp 433-540) published 13 April 1989

No. 6 (pp 541-646) published 22 May 1989

Mini-reviews

Frommer W, Ager B, Archer L, Brunius G, Collins CH, Donikian R, Frontali C, Hamp S, Houwink EH, Küenzi MT, Krämer P, Lagast H, Lund S, Mahler JL, Normand-Plessier F, Sargeant K, Tuijnenburg Muijs G, Vranch SP, Werner RG: Safe biotechnology. III. Safety precautions for handling microorganisms of different risk classes 541

Stewart CS, Flint HJ: Bacteroides (Fibrobacter) succinogenes, a cellulolytic anaerobic bacterium from the gas-

trointestinal tract 433

Biotechnology

Adlercreutz P: Oxidation of trans- and cis-1,2-cyclohexanediol by Gluconobacter oxydans. Preparation of (R)- and (S)-hydroxycyclohexanone 257

Asada M, Shuler ML: Stimulation of ajmalicine production and excretion from Catharanthus roseus: effects of adsorption in situ, elicitors and alginate immobilization 475.

Bailey MJ, Poutanen K: Production of xylanolytic enzymes by strains of Aspergillus 5

Bayer, T, Zhou W, Holzhauer K, Schügerl K: Investigations of cephalosporin C production in an airlift tower loop reactor 26

Berg A-C, Holst O, Mattiasson B: Continuous culture with complete cell recycle: cultivation of *Pseudomonas cepacia* ATCC 29351 on salicylate for production of salicylate hydroxylase 1

Bestetti G, Galli E, Benigni C, Orsini F, Pelizzoni F: Biotransformation of styrenes by a *Pseudomonas putida* 252

Bugarski B, King GA, Jovanovic G, Daugulis AJ, Goosen MFA: Performance of an external loop air-lift bioreactor for the production of monoclonal antibodies by immobilized hybridoma cells 264

Cavazzoni V, Manzoni M, Parini C, Bonferoni MC: p-Xylanase produced by Schizophyllum radiatum 247

Cheng, CY, Yabe I, Toda K: Selective growth of a mutant in continuous culture of *Bacillus caldolyticus* for production of α-amylase 125

Chavalier P, Roy D, Morin A: Hydantoinase activity of immobilized non-growing *Pseudomonas putida* cells 482

Doi M, Asahi S, Tsunemi Y, Akiyama S: Mechanism of uridine production by *Bacillus subtilis* mutants 234

Doyle EM, Kelly CT, Fogarty WM: THe high maltose-producing α-amylase of *Penicillium expansum* 492

du Preez JC, van Driessel B, Prior BA: Ethanol tolerance of Pichia stipitis and Candida shehatae strains in fed-batch cultures at controlled low dissolved oxygen levels 53

Eiteman MA, Gainer JL: In situ extraction versus the use of an external column in fermentation 614 Fukushima Y, Itoh H, Fukase T, Motai H: Continuous protease production in a carbon-limited chemostat culture by salt tolerant Aspergillus oryzae 604

Gooijer CD de, Lier FLJ van, van den End EJ, Vlak JM, Tramper J: A model for baculovirus production with con-

tinuous insect cell cultures 497

Gulik WM van, Meijer JJ, ten Hoopen HJG, Luyben KCAM, Libbenga KR: Growth of a *Catharanthus roseus* cell suspension culture in a modified chemostat under glucoselimiting conditions 270

Hörner T, Zähner H, Kellner R, Jung G: Fermentation and isolation of epidermin, a lanthionine containing polypeptide antibiotic from Staphylococcus epidermidis 219

Hüsemann MHW, Papoutsakis ET: Comparison between in vivo and in vitro enzyme activities in continuous and batch fermentations of Clostridium acetobutylicum 585

Hulst AC, Meyer MMT, Breteler H, Tramper J: Effect of aggregate size in cell cultures of *Tagetes patula* on thiophene production and cell growth 18

Izumi Y, Nath PK, Yamamoto H, Yamada H: NADPH production from NADP+ with a glucose dehydrogenase system involving whole cells and immobilized cells of *Glucono*bacter suboxydans 337

Jensen SE, Wolfe S, Westlake DWS: Synthesis of the penicillin precursor, δ-(L-α-aminoadipyl)-L-cysteinyl-D-valine (ACV), by an immobilized enzyme preparation 111

Kawase Y, Moo-Young M: Hydrodynamics in bubble column bioreactors with fermentation broths having a yield stress 596

Keshavarz T, Walker E, Eglin R, Lilley G, Holt G, Bull AT, Lilly MD: Immobilization of *Penicillium chrysogenum*: spore growth on Celite 487

Kittelmann M, Stamm WW, Follmann H, Trüper HG: Isolation and classification of acetic acid bacteria from high percentage vinegar fermentations 47

Klein D, Yanai P, Hofstein R, Fridlender B, Braun S: Production of Bacillus sphaericus larvicide on industrial peptones 580

Kunioka M, Kawaguchi Y, Doi Y: Production of biodegradable copolyesters of 3-hydroxybutyrate and 4-hydroxybutyrate by Alcaligenes eutrophus 569

Lastick SM, Tucker MY, Beyette JR, Noll GR, Grohmann K: Simultaneous fermentation and isomerization of xylose 574

Lee YH, Lee CW, Chang HN: Citric acid production by Aspergillus niger immobilized on Polyurethane foam (Short contribution) 141

Meyer CL, Papoutsakis ET: Increased levels of ATP and NADH are associated with increased solvent production in continuous cultures of Clostridium acetobutylicum 450

Mulchandani A, Luong JHT, Groom C: Substrate inhibition kinetics for microbial growth and synthesis of poly-β-hydroxybutyric acid by *Alcaligenes eutrophus* ATCC 17697

Nakamichi K, Nabe K, Nishida Y, Tosa T: Production of Lphenylalanine from phenylpyruvate by *Paracoccus denitrificans* containing aminotransferase activity 243

Nava Saucedo JE, Barbotin J-N, Thomas D: Continuous production of gibberellic acid in a fixed-bed reactor by immobilized mycelia of *Gibberella fujikuroi* in calcium alginate beads 226

Qureshi N, Cheryan M: Production of 2,3-butanediol by Klebsiella oxytoca 440

- Rac G, Mutharasan R: NADH levels and solventogenesis in Clostridium acetobutylicum: new insights through culture fluorescence 59
- Rao M, Mishra C: Glucohydrolase from Penicillium funiculosum 130
- Sanseverino J, Montenecourt BS, Sands JA: Detection of acrylic acid formation in *Megasphaera elsdenii* in the presence of 3-butynoic acid 239
- Schuch R, Mukherjee KD: Lipase-catalyzed reactions of fatty acids with glycerol and acylglycerols 332
- Shimizu H, Shioya S, Suga K, Takamatsu T: Profile control of the specific growth rate in fed-batch experiments 276
- Stamm WW, Kittelmann M, Follmann H, Trüper HG: The occurrence of bacteriophages in spirit vinegar fermentation 41
- Stewart PS, Robertson CR: Microbial growth in a fixed volume: studies with entrapped Escherichia coli 34
- Sukara E, Doelle HW: A one-step process for the production of single-cell protein and amyloglucosidase 135
- Takami H, Akiba T, Horikoshi K: Production of extremely thermostable alkaline protease from Bacillus sp. no. AH-101 120
- Tanaka T, Yamamoto K, Towprayoon S, Nakajima H, Sonomoto K, Yokozeki K, Kubota K, Tanaka A: Continuous production of L-serine by immobilized growing *Corynebacter*ium glycinophilum cells 564
- Toda K, Park YS, Asakura T, Cheng CY, Ohtake H: High-rate acetic acid production in a shallow flow bioreactor 559 Wang HY, Palanki S, Hyatt GS: Application of affinity ad-
- sorption in thienamycin fermentation 115
- Xu D-B, Kubicek CP, Röhr M: A comparison of factors influencing citric acid production by Aspergillus niger grown in submerged culture and on filter paper 444
- Xu D-B, Madrid CP, Röhr M, Kubicek CP: The influence of type and concentration of the carbon source on production of citric acid by Aspergillus niger 553
- Yamaji H, Fukuda H, Nojima Y, Webb C: Immobilisation of anchorage-independent animal cells using reticulated polyvinyl formal resin biomass support particles 609
- Yerushalmi L, Volesky B, Votruba J, Molnar L: Circadian rhythmicity in a fermentation process? 460
- Yi Z-H, Rehm H-J: Identification and production of Δ⁹-cis-1,18-octadecenedioic by Candida tropicalis 327

Applied genetics and regulation

- Almond EL, Clark AJ, Clark DS: Complementation of a thr-1 mutation of Escherichia coli by DNA from the extremely thermophilic archaebacterium Methanococcus jannaschii 148
- Amore R, Wilhelm M, Hollenberg CP: The fermentation of xylose—an analysis of the expression of *Bacillus* and *Actinoplanes* xylose isomerase genes in yeast 351
- Ashikari T, Kiuchi-Goto N, Tanaka Y, Shibano Y, Amachi T, Yoshizumi H: High expression and efficient secretion of Rhizopus oryzae glucoamylase in the yeast Saccharomyces cerevisiae 515
- Barrett V, Lemke PA, Dixon RK: Protoplast formation from selected species of ectomycorrhizal fungi 381
- Birr E, Wohlleben W, Aufderheide K, Schneider T, Pühler A, Bräu B, Marquardt R, Wöhner G, Präve P, Schlingmann M: Isolation and complementation of mutants of Streptomyces coelicolor "Müller" DSM3030 deficient in lysozyme production 358

- Fang A, Demain AL: A new chemically-defined medium for RAC-certified and other strains of *Bacillus subtilis* 144
- Gopal CV, Broad D, Lloyd D: Bioenergetic consequences of protein overexpression in Saccharomyces cerevisiae
- Jaurin B, Granström M: β-Glucosidase genes of naturally occurring and cellulolytic *Streptomyces* species: characterization of two such genes in *Streptomyces lividans* 502
- Katz E, Brown D: A possible role of p-valine and related pamino acids in repression of enzyme and actinomycin synthesis 67
- Lang-Hinrichs C, Berndorff D, Seefeldt C, Stahl U: G418 resistance in the yeast Saccharomyces cerevisiae: comparison of the neomycin resistance genes from Tn5 and Tn903 388
- Markwell J, Frakes LG, Brott EC, Osterman J, Wagner FW:

 Aspergillus niger mutants with increased glucose oxidase production 166
- Meinhardt F, Stahl U, Ebeling W: Highly efficient expression of homologous and heterologous genes in *Bacillus megaterium* 343
- Mohr G: Rapid detection of bacterial hygromycin B phosphotransferase in Aspergillus niger transformants 371
- Murakami Y, Furusato T, Kato C, Habuka N, Kudo T, Horikoshi K: Construction of new excretion vectors: two and three tandemly located promotors are active for extracellular protein production from *Escherichia coli* 619
- Osiewacz HD, Weber A: DNA mediated transformation of the filamentous fungus *Curvularia lunata* using a dominant selectable marker 375
- Sato N, Hayami T, Murata K, Watanabe K, Kariya Y, Sakaguchi M, Kimura S, Nonaka M, Kimura A: Expression of tuna growth hormone cDNA in *Escherichia coli* 153
- Schmucker R, Gülland U, Will M, Hillen W: High level expression of Acinetobacter calcoaceticus mutarotase in Escherichia coli is achieved by improving the translational control sequence and removal of the signal sequence
- Sugita T, Komatsubara S: Construction of a threoninehyperproducing strain of Serratia marcescens by amplifying the phosphoenolpyruvate carboxylase gene 290
- Takao M, Morioka T, Yamagata H, Tsukagoshi N, Udaka S: Production of swine pepsinogen by protein-producing Bacillus brevis carrying swine pepsinogen cDNA 75
- van Engelenburg F, Smit R, Goosen T, van den Broek T, Tudzynski P: Transformation of Claviceps purpurea using a bleomycin resistance gene 364
- Wolf H, Pühler A, Neumann E: Electrotransformation of intact and osmotically sensitive cells of *Corynebacterium* alutamicum 283
- Yu P-L, Appleby RD, Pritchard GG, Limsowtin GKY: Restriction mapping and localization of the lactose-metabolizing genes of Streptococcus cremoris pDI-21 71

Applied microbiology

- Baillargeon MW, Bistline RG jr, Sonnet PE: Evaluation of strains of *Geotrichum candidum* for lipase production and fatty acid specificity 92
- Bibal B, Vayssier Y, Tournou M, Pareilleux A: Enhanced inhibitory effect of lactic acid on growth kinetics of *Strepto*coccus cremoris during nutritional medium limitations 630

Blaich R, Heintz C, Wind R: Studies on conidial germination and initial growth of the grapevine powdery mildew *Un*cinula necator on artificial substrates 415

Boquien CY, Corrieu G, Desmazeaud MJ: Enzymatic methods for determining populations of *Streptococcus cremoris* AM2 and *Leuconostoc lactis* CNRZ 1091 in pure and mixed cultures 402

Borch E, Molin G: The aerobic growth and product formation of Lactobacillus, Leuconostoc, Brochothrix, and Car-

nobacterium in batch cultures 81

Brivonese AC, Sutherland IW: Polymer production by a mucoid stain of Azotobacter vinelandii in batch culture 97 Carrier DJ, Luong JHT, Weber ME: Substrate consumption

of Methylomonas mucosa 89

Edwards N, Beeton S, Bull AT, Merchuk JC: A novel device for the assessment of shear effects on suspended microbial cultures 190

Heitzer A, Al-Awadhi N, Hamer G: Some effects of heat shocks on bacterial growth 408

Kirkpatrick N, Palmer JM: A natural inhibitor of lignin peroxidase activity from *Phanerochaete chrysosporium*, active at low pH and inactivated by divalent metal ions 305

Lin DG, Nishio N, Mazumder TK, Nagai S: Influence of Co²⁺, Ni²⁺ and Fe²⁺ on the production of tetrapyrroles by Methanosarcina barkeri 196

Madi E, Antranikian G: Identification of a starch degrading anaerobic thermophile producing thermostable α-amylase and pullulanase (Short contribution) 422

Mishra P, Prasad R: Relationship between ethanol tolerance and fatty acyl composition of Saccharomyces cerevisiae

Neve H, Krusch U, Teuber M: Classification of virulent bacteriophages of Streptococcus salivarius subsp. thermophilus isolated from yoghurt and Swisstype cheese 624

Peleg Y, Barak A, Scrutton MC, Goldberg I: Malic acid accumulation by Aspergillus flavus. III. ¹³C NMR and isoen-

zyme analyses 176

Raucourt A de, Girard D, Prigent Y, Boyaval P: Lactose continuous fermentation with cells recycled by ultrafiltration and lactate separation by electrodialysis: modelling and simulation 521

Raucourt A de, Girard D, Prigent Y, Boyaval P: Lactose continuous fermentation with cells recycled by ultrafiltration and lactate separation by electrodialysis: model identifi-

cation 528

Sára M, Sleytr UB: Use of regularly structured bacterial cell envelope layers as matrix for the immobilization of macromolecules 184

Schmidt A, Bringer-Meyer S, Poralla K, Sahm H: Influence of ethanol on the activities of 3-hydroxy-3-methylglutaryl-coenzyme A-reductase and squalenehopene-cyclase in Zymomonas mobilis 170

Sharma HSS, Gilmore C: Screening of biocides for controlling spoilage of bleached flax roves caused by fungal sa-

prophytes 636

Smith MR, Ratledge C: Catabolism of biphenyl by *Pseudo-monas* sp. NCIB 10643 and *Nocardia* sp. NCIB 10503 395

Svarachorn A, Shinmyo A, Tsuchido T, Takano M: Autolysis of *Bacillus subtilis* induced by monovalent cations 299

Environmental microbiology

Dubach AC, Schneider K, Bachofen R: Anaerobic fermentation of fructose in a mixed culture of fermentative and methanogenic bacteria 201

Ehrhardt HM, Rehm H-J: Semicontinuous and continuous degradation of phenol by *Pseudomonas putida* P8 ad-

sorbed on activated carbon 312

Knoll G, Winter J: Degradation of phenol via carboxylation to benzoate by a defined, obligate syntrophic consortium of anaerobic bacteria 318

Mulder R, Simons B, Verkuijlen J, Mattos MJT de, Neijssel OM: Biomass retention in a glucose acidifying anaerobic gas-lift reactor: isolation of the organism responsible granule formation 641

Oldenhuis R, Kuijk L, Lammers A, Janssen DB, Witholt B: Degradation of chlorinated and non-chlorinated aromatic solvents in soil suspensions by pure bacterial cultures 211

Poulsen OM, Petersen LW: Growth and enzyme production of *Cellulornonas sp. ATCC 21399* on microcrystalline cellulose. Effects of increasing concentration of a mineral medium 535

Zache G, Rehm H-J.: Degradation of phenol by a coimmobilized entrapped mixed culture 426

Zimmermann W, Broda P: Utilization of lignocellulose from barley straw by actinomycetes 103